TEALIT APPRAISAL OUESTIONNAIR	HEALTH	APPRAISAL	<b>QUESTIONNAIRE</b>
-------------------------------	--------	-----------	----------------------

Name	
Name	Date

## DIRECTIONS

This questionnaire asks you to assess how you have been feeling during the last four months. This information will help you keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

## For each question, circle the number that best describes your symptoms:

- O = No or Rarely—You have never experienced the symptom or the symptom is familiar to you but you perceive it as insignificant (monthly or less)
- 1 = Occasionally—Symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often—Symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently—Symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis

Some questions require a YES or NO response: 0 = NO 8 = YES

PART I	No/Rarely	Occasionally	Often	Frequently		No/Parely	October 19	Offen	Control
SECTION A					SECTION C (cont.)			_	
1. Indigestion, food repeats on you after you eat	0	1	4	8	6. Stool odor is embarrassing	^			
2. Excessive burping, belching and/or bloating					7. Undigested food in your stool	0	1	4	1 8
following meals	0	1	4	8	8. Three or more large bowel movements daily	0	,	4	
3. Stomach spasms and cramping during or after eating	g 0	1	4	8	Diarrhea (frequent loose, watery stool)	0	1	4	
<ol> <li>A sensation that food just sits in your stomach creating uncomfortable fullness, pressure and bloating during or after a meal</li> </ol>	0	1	1	8	10. Bowel movement shortly after eating (within 1 hour)	0		4	
5. Bad taste in your mouth	0	1	4	8	Tota	ıl po	int		55
6. Small amounts of food fill you up immediately	0	1	4	8	SECTION D				
7. Skip meals or eat erratically because you	U	1	4	0	1. Discomfort, pain or cramps in your colon				
have no appetite	0	1	4	8	(lower abdominal area)	0	1	4	- {
Total	l poi	ints			Emotional stress and/or eating raw fruits and vegetables causes abdominal bloating, pain, cramps or gas	0	1	4	
Strong emotions, or the thought or smell of food					Generally constipated (or straining during bowel movements)	~		7	si (
aggravates your stomach or makes it hurt	0	1	4	8		0	1	4	
2. Feel hungry an hour or two after eating a					4. Stool is small, hard and dry	0	1	4	1
good-sized meal	0	1	4	8	5. Pass mucus in your stool	0	1	4	
3. Stomach pain, burning and/or aching over a period of 1-4 hours after eating	0		,		6. Alternate between constipation and diarrhea	0	1	4	8
4. Stomach pain, burning and/or aching relieved by	U	1	4	8	7. Rectal pain, itching or cramping	0	1	4	8
eating food; drinking carbonated beverages, cream or milk; or taking antacids	0	1	. 4	8	8. No urge to have a bowel movement 9. An almost continual need to have a bowel movement	(O)			) Ye
<ol><li>Burning sensation in the lower part of your chest, especially when lying down or bending forward</li></ol>	0	1	4	8	Tota	_			-
<ol><li>Digestive problems that subside with rest and relaxation</li></ol>	(O)N	ło	(8)	Yes	PART II				
7. Eating spicy and fatty (fried) foods, chocolate,									
7. Eating spicy and fatty (fried) foods, chocolate, coffee, alcohol, citrus or hot peppers causes your stomach to burn or ache	0	1	4	8 .	<ol> <li>When massaging under your rib cage on your right side, there is pain, tenderness or soreness</li> </ol>	0	1	4	8
B. Feel a sense of nausea when you eat	0	1	4	8	<ol><li>Abdominal pain worsens with deep breathing</li></ol>	0	1	4	8
P. Difficulty or pain when swallowing food or beverage		. X	4	8	3. Pain at night that may move to your back or	722	(i) (j)		
Total	poir	nts			right shoulder	0	1	4	8
CTION C			- 00		4. Bitter fluid repeats after eating	0	1	4	8
. When massaging under your rib cage on your left side, there is pain, tenderness or soreness	0	1	4	8	5. Feel abdominal discomfort or nausea when eating rich, fatty or fried foods	0	1	4	8
<ol> <li>Indigestion, fullness or tension in your abdomen is delayed, occurring 2-4 hours after eating a meal</li> </ol>	0	1	4	8	6. Throbbing temples and/or dull pain in forehead associated with overeating	0	1	4	8
Lower abdominal discomfort is relieved with the passage of gas or with a bowel movement	0	1	4	8	<ul><li>7. Unexplained itchy skin that's worse at night</li><li>8. Stool color alternates from clay colored to</li></ul>	0		4	8
Specific foods/beverages aggravate indigestion	0	1	4	8	normal brown	0	1	4	8
i. The consistency or form of your stool changes (e.g., from narrow to loose) within the course of a day	0	1	4	8	9. General feeling of poor health	0	1	4	8

PART II	No/Rarely	Occasionally	Offen	Frequently	PART IV	No/Rarely	Occasionally	Often	
10. Aching muscles not due to exercise	0	1	4	8	SECTION A		_		
Retain fluid and feel swollen around the abdominal area	0	1	4	8	When you miss meals or go without food for extended p	eriod	s of	ftin	ne.
2. Reddened skin, especially palms	0	1	4	8	do you experience any of the following symptoms?		0001100		
3. Very strong body odor	0	1	4	8	1. A sense of weakness	0	1	4	8
4. Are you embarrassed by your breath?	0	1	4		2. A sudden sense of anxiety when you get hungry	0	1	4	{
5. Bruise easily	(0)	. I		3)Yes	3. Tingling sensation in your hands	0	1	4	ŧ
6. Yellowish cast to eyes	(O)		2523	3) Yes	A sensation of your heart beating too quickly or forcefully	0	1	4	
	7	San		_	5. Shaky, jittery, hands trembling	0	1	4	1
ART III	al po	ints			<ol><li>Sudden profuse sweating and/or your skin feels clammy</li></ol>	0	1	4	
	9			٠	<ol><li>Nightmares possibly associated with going to bed on an empty stomach</li></ol>	0	1	4	
ECTION A		55			8. Wake up at night feeling restless	0	1	4	
1. Feel cold or chilled—hands, feet or all over—for no					9. Agitation, easily upset, nervous	0	1	4	
apparent reason	0	. 1	4	8	10. Poor memory, forgetful	0	1	4	
2. Your upper eyelids look swollen	0	1	4	8	11. Confused or disoriented	0	1	4	
3. Muscles are weak, cramp and/or tremble	0	1	4	8	12. Dizzy, faint	0	1	4	
Are you forgetful?	0	1	4	8	13. Cold or numb	0	1	4	
Do you feel like your heart beats slowly?	0	1	4	8	14. Mild headaches or head pounding	0	1	4	
. Reaction time seems slowed down	0	1	4	8	15. Blurred vision or double vision	0	1	4	
<ul> <li>In general, are you disinterested in sex because your desire is low?</li> </ul>	0	1	4	8	<ol><li>Feel clumsy and uncoordinated</li></ol>	0	1	4	
. Feel slow-moving, sluggish	0	1	4	8	Tota	al poi	nts		-
. Constipation	0	i		8	SECTION B			_	_
Dryness, discoloration of skin and/or hair	(O)N	lo.		Yes	1. Frequent urination during the day and night	0	1	4	
. Have you noticed recently that your voice	1-1		10,	103	2. Unusual thirst—feeling like you can't drink		•		
is deepening?	(O)N	lo	(8)	Yes .	enough water	0	1	4	8
. Thick, brittle nails	(O)N		1000	Yes	3. Unusual hunger—eating all the time	0	1	4.	8
. Weight gain for no apparent reason	(O)N	0	(8)	Yes	4. Vision blurs	0	1	4	8
Outer third of your eyebrow is thinning or disappearing	(O)N		(8)	V	5. Feel itchy all over	0	1	4	8
. Swelling of the neck	(O)N		(8)		6. Tingling or numbness in your feet	0	1	4	8
	l poir	-	10)	7	<ol><li>Sense of drowsiness, lethargy during the day not associated with missing meals or not sleeping</li></ol>	0	1	4	{
CTION B  Lingering mild fatigue after exertion or stress	0	1	4	8	<ol> <li>Eating starchy foods, even if they are healthy and unprocessed (like rice, corn, beans, whole wheat or oats), causes you to gain weight or prevents you</li> </ol>				
. Do you find that you get tired and exhaust				430X D	from losing weight	(O)N	•	(8)	Yo
easily?	120	1	4		9. Sores heal slowly	(O)N		(8)	
Craving for salty foods		1		8	10. Loss of hair on your legs	(0)14	•	(8)	Ye
Sensitive to minor changes in weather and surroundings	0	1	4	8	Total	poin	ts		
Dizzy when rising or standing up from a kneeling position	19500	1		8	PART V				
Dark bluish or black circles under your eyes	0.000	1		8	SECTION A				
Have bouts of nausea with or without vomiting Catch colds or infections easily			4	1000	300 A	13.00	-25	000	
Wounds heal slowly	(0)No		(8)	6 0	1. Feel jittery	0	1	4	8
Your body or parts of your body feel tender, sore,	(0)No	0	(8)	Yes	<ol><li>First effort of the day causes pain, pressure, tightness or heaviness around the chest</li></ol>	0	1	4	8
sensitive to the touch, hot and/or painful	0	1	4	8	3. Exhaustion with minor exertion	0	1	4	8
Feel puffy and swollen all over your body	0.			8	4. Heavy sweating (no exertion, no hot flashes)	0	1	4	8
Skin is gradually tanning without exposure					<ol><li>Difficulty catching breath, especially during exercise</li></ol>	0	1	4	8
to sun or the ingestion of high levels of carotene-rich foods (e.g., daily carrot juice intake)	ic:				<ol><li>Heart pounding, sensation of heart beating too quickly, too slowly or irregularly</li></ol>	0	1	4	8
or supplements	(O)No	)	(8)	les	<ol> <li>Swelling in feet, ankles and/or legs comes and goes for no apparent reason</li> </ol>	220 0	-	4	8
Total		_			188 I.J.M.	120	60 K	100	,

	No/Rarely	Occasionally	Offen	Frequently			No/Rarely	Occasionally	en	Frequently
SECTION B			, 0	) II	SECTION B (cont.)		Š	ŏ	Offen	Fre
1. Muscle pain at rest	0	. 1	1	8						
2. Cramp-like pains in your ankles, calves or legs	0			8	12. Do you become suddenly scared for no reason?		0	1	4	8
Numbness, tingling and prickling sensation in hands and feet	ŭ	•	7	•	13. Do you break out in a cold sweat?		0	1	4	8
1000	0	1	4	8	14. "Butterflies in your stomach," nausea and/or diarrh	ea	0	1	4	8
4. Cold feet and/or toes appear blue	0	1	4	8	To	tal p	- de	The same		
5. Brief moments of hearing loss	0	1	4	8	SECTION C	rai F	JOIII	ıs		_
6. Nausea comes and goes quickly (unrelated to eating	0 (8	1	4	8	1. Do you feel pent up and ready to explode?		_	•		_
7. Feel worse standing; legs get heavy and fatigued	0	1	4	8	2. Are you prone to noisy and emotional outbursts?		0	78	69 19	8
8. Leg discomfort or faligue relieved by elevating legs	0	1	4	8	3. Do you do things on impulse?				8	8
<ol><li>Fingers and toes get numb in cold weather even when protected</li></ol>	^	,	,	_	4. Are you easily upset or irritated?		, ,	-0.00	30 III	8
	0	1	4	8	5. Do you go to pieces if you don't control yourself?	(			1 8	
<ol> <li>Notice changes in your ability to feel pain or differentiate between sensations of hot or cold</li> </ol>	10)	10	18	Yes	6. Do little annovances get on your perves and make	C	) ]	4	3 1	3
<ol> <li>Body hair (on arms, hands, fingers, legs and toes) is thinning or has disappeared</li> </ol>			0.00		you digiye	C	) 1	_	8 4	3
12 Do you notice and the state of the state	(0)	40	(8	Yes	7. Does it make you angry to have anyone tell you what to do?		99			
Do you notice a decline in your ability to make decisions, concentrate, focus attention or					1	C	1	4	8	3
follow directions?	1(0)	ło	(8)	Yes	Do you flare up in anger if you can't have what you want right away?	0	) ]		0	,
Tota	l poi	7	Ė	_		-		_	8	7
PART VI				_	Tota	al po	oint			
		5			PART VII					
ECTION A										
		11			1. Eyes water or tear	0	1	4	8	
<ol> <li>Family, friends, work, hobbies or activities you hold dear are no longer of interest</li> </ol>	0	1	,	•	2. Mucus discharge from the eyes	0	1	4	8	
2. Do you cry?	0	1		8	3. Ears ache, itch, feel congested or sore	0	1	4	8	
3. Does life look entirely hopeless?	2270			8	4. Discharge from ears	0	1	4	8	
4. Would you describe yourself as feeling miserable	U		4	0	5. Is your nose continually congested?	0	1	4	8	
and sad, unnappy or blue?	0	1	4	8	6. Are you prone to loud snoring?	(0)	No	(8	Yes	i i
5. Do you find it hard to make the best of difficult situations?					7. Does your nose run?	0	1	4	8	
6. Sleep problems—too much or too little sleep	0			8	8. Nosebleeds	(0)	No	(8	Yes	
7 Changes is seen well as a	0			8	9. Hoarse voice	0	1	4	8	
8. Lately you've noticed an inability to think clearly	(O)No	•	(8)	es	10. Do you have to clear your throat?	0	1	4	8	
or concentrate	(O)No		(8) <sub>Y</sub>	63	11. Do you feel a choking lump in your throat?	0	1	4	8	
9. Difficulty making decisions and/or clarifying and	* :: • : : : : : : : : : : : : : : : : :		(-1.	-	12. Do you suffer from severe colds?	(0)	No	18	Yes	
	(O)No		(8)Y	es	13. Do frequent colds keep you miserable all winter?	(0)	No	18	Yes	
Total	poin	ts		٦١	14. Flu symptoms last longer than 5 days	(0)	Vo.	(8	Yes	
CTION B				-1	15. Do infections settle in your lungs?	(0)	No	(8)	Yes	
. Does worrying get you down?	0 1		4 1	8	16. Chest discomfort or pain	0	1	4	8	
2. Does every little thing get on your nerves and wear			50 SS		17. Do you experience sudden breathing difficulties?	0	1	4	8	
you oui4	0 1	4	4 8	В.	18. Do you struggle with shortness of breath?	0	1	4	8	
	0 1	1	4 8	3	19. Difficulty exhaling (breathing out)	0	1	4	8	100000
	0 1		4 8		<ol> <li>Breathlessness followed by coughing during exertion, no matter how slight</li> </ol>	0	1		0	
	0 1		1 8	~	21. Inability to breathe comfortably while lying down	0	,		8	
	0 1	4	1 8	3	22. Do you cough up lots of phlegm?	0	1	2000	8	
	0: 1	4	8	3	23. Can you hear noisy rattling sounds when breathing in and out?	0	,	4	0853	
. Do you become scared at sudden movements or noises at night?					24. Are you troubled with coughing?	0	,	4.		
Do you find your off that I to	0 1	0 10000	8		25. Do you wheeze?	0	1		8	
	0 1	4	8	1	26. Do you have severe soaking sweats at night?	0	1	00481	8	
	0 1	4	8		27. Do your lips and/or nails have a bluish hue?	0	1		8	
Do frightening thoughts keep coming back in your mind?		4	8	1	28. Are you sleepy during the day?	0	1		8	
, January ,		7	J	- 1	7 stoops dorning the days	0	1	4	8	1

ART VII (cont.)	No/Rarely	Occasionally	Offen	Frequently		No/Rarely	Occasionally	Offen	Orten
29. Do you have difficulty concentrating?	0	1	4	8	SECTION B (cont.)			_	_
<ol> <li>Eyes, ears, nose, throat and lung symptoms seem associated with specific foods like dairy or wheat products</li> </ol>	(0)	No	. 1	8)Yes	Intermittent pain or ache on one side of head spreadin to cheek, temple, lower jaw, ear, neck and shoulder	g O	1	4	4
Eyes, ears, nose, throat and lung symptoms are associated with seasonal changes	(0)			B)Yes	Difficulty chewing food or opening mouth     Oifficulty standing up from a sitting position	0	1	4	Ç.,
Total	_	_	_	•	11. Shooting, aching, tingling pain down the back of leg		1	4	8
ART VIII	рог	IIG			12. Is it difficult to reach up and get a 5-pound object like a bag of flour from just above your head?      13. Injure, strain or sprain easily	(0)	No	(	(8)
1. Involuntary loss of urine when you cough, lift						(0)	W. Barrier		(8)
something or strain during an activity	0	1	4	8	SECTION C	il po	ints	L	
2. Mild lower back ache or pain	0	1	4	8		9225	. 251		20
3. Abdominal achiness or pain	0	1	4	8	1. Muscles stiff, sore, tense and/or achy	0	1	4	1
4. Pain or burning when urinating	0	1	4	8	2. Burning, throbbing, shooting or stabbing muscle pair	0	1	4	
5. Rarely feel the urge to urinate	0	1	4	8	Muscle cramps or spasms (involuntary or after exertion/exercise)	0	1	4	
5. Feel the need to urinate less than every two hours during the day or night	0	1	4	8	Is muscle pain or stiffness greater in the morning than other times of the day?	0	1	4	
7. Strong smelling urine	0	1	4	8	5. Specific points on body feel sore when pressed	0	1	4	
Back or leg pains are associated with dripping after urination	0	1	4	8	6. Feel unrefreshed upon awakening	0	1	4	
2. Sore or painful genitals	0	1	4	8	7. Headaches	0	i	4	
). Urine is a rose color	0	1	4	8	8. Pain at the sides of your head or in your face	·		-	
. Sudden urge to void causes involuntary loss of urine	0	i	4	8	especially when awakening	0	1	4	
. Generalized sense of water retention throughout	0		4	0	9. Your jaw clicks or pops	0	1	4	
	0	1	4	8	10. Muscle twitch or tremor—eyelids, thumb, calf muscle	0	1	4	
Total	poir	its	Ė	$\neg$	11. Irresistible urge to move legs	0	1	4	
RTIX				_	12. Legs move during sleep	0	1	4	
					13. Unpleasant crawling sensation inside calves when lying down	^	,		
CTION A					<ol> <li>Hand and wrist numbness or pain (e.g., interferes with writing or with buttoning or unbuttoning your clothes)</li> </ol>	h h	1	4	
	0	1	4	8	15. Feeling of "pins and needles" in your thumb and first three fingers	0	1	4	
. Localized bone pain	0	1	4	8	16. Pain in forearm and sometimes in shoulder	0	1	4	
	0	1	4	8				4	_
	0	1	4	8	Total	poir	its	- () =	_
	0	1	4	8	PART X				
	0	1,	4	8					
	0	1	4	8	SECTION A				
	0	1	4	8	1. Head feels heavy	0	1	4	
Shins hurt during or after exercise	0	1	4	8	2. Dizziness	0	1	4	
TION B	ooin	ts			<ol> <li>Difficulty bending over, standing up from sitting, rolling over in bed and/or turning your head from side to side</li> </ol>	•	•		
5000 ° . 1000 A 10000 TOOL 3	0	1	4	8	4. Your hands tremble, ever so slightly, for no	0	1	4	1
The second secon	0	1	4	8	apparent reason  5. You feel like you're wearing heavy weights on your	0	1	4	,
Joint swelling, pain or stiffness involving one or more					ieel when walking	0	1	4	8
gross /fingers hands with all volving one or more	o .	1	4	R	6. Bump into things, trip, stumble and feel clumsy	0	1	4	8
areas (fingers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)			4		7. Difficulty breathing	0	1	4	8
toes, arches, feet, ankles, knees or ankles)		6 1	*	٠	8. Difficulty swallowing	0	1	4	8
dreas (ringers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)  Joints hurt when moving or when carrying weight  A routine exercise program, like daily walking	o .	1	4	8	cobic icii you ic speck up because inev nave				
areas (ringers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)  Joints hurt when moving or when carrying weight  A routine exercise program, like daily walking, causes your knees to swell or hurt  Difficulty opening jars that were previously easy	)		4	8	People tell you to speak up because they have trouble hearing you	0	1	4	8
dreas (ringers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)  Joints hurt when moving or when carrying weight  A routine exercise program, like daily walking	ο .		4		10 Speaking and familian and I am	0		4	8

PART X (cont.)	No/Rarely	Occasionally	Often	Frequently	at a	No/Rarely	Occasionally	Often
SECTION A (cont.)					SECTION A (cont.)			_
<ol> <li>Lack strength (your grip is weak, holding your head or picking your arms up takes effort)</li> </ol>		1	4	8	[B]	401		
13. Hands get tired when you write and your handwriting is less legible and smaller than it used to be	ng (0)r	40	(8)	)Yes	Abdominal bloating, feeling swollen (e.g., feet)     Temporary weight gain	(0)No		(8) (8)
<ol> <li>Muscles in arms and legs seem softer and smaller</li> </ol>	(0)	Vo.	(8)	Yes	7. Breast tenderness, swelling	(0)No		(8)Y
1.5. Is your eyesight, sense of smell and taste or ability to hear not as sharp as it used to be?	(0)	40	(8)	Yes	Appearance of breast lumps     Discharge from nipples	(0)No		(8) (8)
16. Do you find yourself moving slower than you used to?	(0)		166	Yes	10. Nausea and/or vomiting	(0)No	Ė	(8)
ECTION B	tal poi	nts		Ш	11. Diarrhea or constipation	(O)No		(8)
	CRIP	10	Sian		12. Aches and pains (back, joints, etc.)	(O)No		(8)
Difficulty absorbing new information	0	1	4	8	[C]			200
2. Tend to forget things	0	1	4	8	13. Craving for sweets	(O)No		(8) <sub>Y</sub>
3. Trouble thinking or concentrating	0	1	4	8	14. Increased appetite or binge eating	(O)No		(8)
4. Easily distracted	0	1	4	8	15. Headaches	(0)No		(8)
<ol> <li>Do you have a tendency to become frustrated quickly?</li> </ol>	0	1	4	8	16. Being easily overwhelmed, shaky or clumsy 17. Heart pounding	(0)No		(8)·
6. Inability to sit still for any length of time, even					18. Dizziness or fainting	(0)No		(8)
at mealtime	0	1		8	[0]	(o)		101
7. Finishing tasks is easier said than done	0	1	4	8	19. Confused and forgetful to the point that work suffers	(0)No	. 8	(8)
Do you have more trouble solving problems or managing your time than usual?	0	1	4	8	20. Overwhelmed with feelings of sadness and worthlessness			
9. Low tolerance for stress and otherwise	U		•		21. Difficulty sleeping or falling asleep		19	(8)
ordinary problems	0	1	4	8	22. Engaging in self-destructive behavior	(0)No	- 8	(8)
Total	al poin	its		٦.		(0)No		(8)
ART XI				ᅴ	SECTION B	l point	5 .	
Man Out				-81	Do you experience any of these symptoms <u>during your pe</u> 1. Cramping in lower abdomen or pelvic area	10000	9	
Men Only						(0)No		(8)
<ol> <li>Sensation of not emptying your bladder completely</li> </ol>	0	1	4	8	2. Lower abdominal pain is sharp and/or dull or intermittent			8)1
2. Need to urinate less than 2 hours after you have	2020	_			Bloating and sense of abdominal fullness	(0)No	100	8)
finished urinating	0	1	4	8	4. Diarrhea or constipation	(0)No	(	8)
<ol> <li>Find yourself needing to stop and start again several times while urinating</li> </ol>	0	1		8	5. Nausea and/or vomiting	(0)No	(	8)
4. Find it difficult to postpone urination	10.094	100	000 m	. 1	6. Low back and/or legs ache	(O)No	(	8)4
	0	1	4	8	7. Headaches	(O)No	(	8)
have a weak uringry stream	. 0	1			8. Unusual fatigue (take naps) resulting in missed work.	101110		8)4
	0	72	4	· 1		(0)No	(	-,
5. Need to push or strain to begin urinating	0	1	4	8	Painful and/or swollen breasts			
<ol> <li>Need to push or strain to begin urinating</li> <li>Dripping after urination</li> </ol>	0	1 1	4 4	8		(0)No	(	8)1
o. Need to push or strain to begin urinating  7. Dripping after urination  8. Urge to urinate several times a night	0 0	1 1 1	4 4	8	Painful and/or swollen breasts     Scanty blood flow	(0)No (0)No	(	8)
b. Need to push or strain to begin urinating  7. Dripping after urination  8. Urge to urinate several times a night	0	1 1 1	4 4	8	Painful and/or swollen breasts     Scanty blood flow	(0)No	(	8)1
5. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Tota	0 0	1 1 1	4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total	(0)No (0)No (0)No point	(i	8)Y
5. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night  Tota	0 0	1 1 1	4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and yaginal pain	(0)No (0)No (0)No point	() ()	8)Y 8)Y
5. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Tota	0 0	1 1 1	4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month	(0)No (0)No (0)No point	(i	8)Y 8)Y
Need to push or strain to begin urinating To Dripping after urination Urge to urinate several times a night Tota	0 0 0	l l ts	4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down	(0)No (0)No (0)No point	() ()	8)Y
Need to push or strain to begin urinating T. Dripping after urination B. Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E a	0 0 0	l l ts	4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period	(0)No (0)No (0)No point	() ()	8)1
Need to push or strain to begin urinating To Dripping after urination B. Urge to urinate several times a night  Tota  IRT XII  Women Only  (Menopausal women should skip to Sections Eactions A	O O O o o o o o o o o o o o o o o o o o	l l l ts	4 4 4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements	(0)No (0)No (0)No point 0 1 0 1	4 4	8)Y 8)Y
Need to push or strain to begin urinating To Dripping after urination B. Urge to urinate several times a night  Tota  IRT XII  Women Only  (Menopausal women should skip to Sections E a	O O O o o o o o o o o o o o o o o o o o	l l l ts	4 4 4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination	(O)No (O)No (O)No Point 0 1 0 1 0 1	(   (   (   (   (   (   (   (   (   (	8)Y(8)Y(8)
Women Only  (Menopausal women should skip to Sections E a	O O O o o o o o o o o o o o o o o o o o	l l l ts	4 4 4 4	8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge	(0)No (0)No (0)No 0 1 0 1 0 1 0 1 0 1	4 4 4 4 4	(8) (8) (8) (8) (8) (9) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
S. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E a  CTION A  by you persistently experience any of these symptoms will  yes to two weeks prior to menstruation?	O O O o o o o o o o o o o o o o o o o o	l l ts	4 4 4 4	8 8 8 8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge	(O)No (O)No (O)No O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1	4 4 4 4 4 4 4	(8) YY (8
S. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night  Tota  ART XII  Women Only  (Menopausal women should skip to Sections E a  CTION A  Pyou persistently experience any of these symptoms will ys to two weeks prior to menstruation?  1.  Anxious, irritable or restless	O O O II point	l l l l l ts	4 4 4 4 (8)	8 8 8 8	9. Painful and/or swollen breasts 10. Scanty blood flow  Total  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge 9. Vaginal itching or burning with or without intercourse	(O)No (O)No (O)No O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1	4 4 4 4 4 4 4 4 4	8) \(\gamma\) \(\lambda\) \(\l
Women Only  (Menopausal women should skip to Sections E a  ECTION A  Proposed persistently experience any of these symptoms with the system of two weeks prior to menstruation?  I. Anxious, irritable or restless  2. Numbness, lingling in hands and feet	O O O O O O O O O O O O O O O O O O O	l l l l l l l l l l l l l l l l l l l	4 4 4 4 4 (8)%	8 8 8 8	9. Painful and/or swollen breasts 10. Scanty blood flow  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge 9. Vaginal itching or burning with or without intercourse 10. Pain during periods is getting progressively worse	(O)No (O)No (O)No (O)No O 1 O 1 O 1 O 1 O 1 O 1 O 1 (O)No	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8) Y (8) X (
6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night  Tota  ART XII  Women Only  (Menopausal women should skip to Sections E a company of these symptoms with the sympt	O O O II point	l l l l l l l l l l l l l l l l l l l	4 4 4 4 (8)	8 8 8 8	9. Painful and/or swollen breasts 10. Scanty blood flow  SECTION C  1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge 9. Vaginal itching or burning with or without intercourse 10. Pain during periods is getting progressively worse 11. Profuse or prolonged menstrual bleeding	(O)No (O)No (O)No O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1 O 1	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8) Y (8) Y (

PART XII (cont.)	No/Rarely	Occasionally	Frequently	
1. Absence of periods for six months or longer 2. Periods occur irregularly (e.g., 3 to 6 times a year) 3. Profuse heavy bleeding during periods 4. Menstrual blood contains clots and tissue 5. Bleeding between periods can occur anytime 6. Periods occur greater than every 35 days 7. Intense upper stomach pain, lasting several hours at the time you ovulate (approximately day 14 of your cycle) 8. Bleeding occurs at ovulation (approximately day 14 of your cycle) 9. Monthly abdominal pain without bleeding 10. Abundant cervical mucus 11. Acne and/or oily skin 12. Overwhelming urges for sexual intercourse 13. Aggressive feelings 14. Increased growth of dark facial and/or body hair 15. Poor sense of smell 16. Voice is becoming deeper 17. Breasts seem to be getting smaller	0 1 (0)No (0)No (0)No	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8) Yes 8) Yes 8	5. Interest in having sex is low 6. Engorged breasts 7. Breast tenderness, soreness 8. Difficulty with orgasm 9. Vaginal bleeding after sexual intercourse 10. Do you skip periods? 11. The length (number of days) of your period varies month to month, with the number of days of bleeding getting fewer  SECTION F 1. Sense of well-being fluctuates throughout the day for no apparent reason 2. Sudden hot flashes 3. Spontaneous sweating 4. Chills 5. Cold hands and feet 6. Heart beats rapidly or feels like it is fluttering 7. Numbness, tingling or prickling sensations 8. Dizziness 9. Mental fogginess, forgetful or distracted
1. Vaginal discharge 2. Vaginal secretions are watery and thin 3. Vaginal dryness 4. Sexual intercourse is uncomfortable	0 1 0 1 0 1 0 1	4 4 4 4	8 8 8	<ul> <li>10. Inability to concentrate</li> <li>11. Depression, anxiety, nervousness and/or irritability</li> <li>12. Difficulty sleeping</li> <li>13. Conscious of new feelings of anger and frustration</li> <li>14. Skin, hair, vagina and/or eyes feel dry</li> <li>15. Stopped menstruating around six months ago, yet still experience some vaginal bleeding</li> </ul>

	No/Rarely	Occasionally	Often	Frequently
SECTION E (cont.)				_
5. Interest in having sex is low	. 0	1	Δ	А
6. Engorged breasts	0	1	1	В
7. Breast tenderness, soreness	0	i	1	8
8. Difficulty with orgasm	0	i	1	8
9. Vaginal bleeding after sexual intercourse	. 0	1	1	Ω
10. Do you skip periods?	(0)	NI-	10	Yes
<ol> <li>The length (number of days) of your period var month to month, with the number of days of bleeding getting fewer</li> </ol>	ies (0)			Yes
- V	Total po	ints		٦


SECTION F			_	
Sense of well-being fluctuates throughout the day for no apparent reason	0	1	1	8
2. Sudden hot flashes	0	1	4	8
3. Spontaneous sweating	0	1	4	8
4. Chills	0	1	4	8
5. Cold hands and feet	0	1	4	8
6. Heart beats rapidly or feels like it is fluttering	0	1	4	8
7. Numbness, tingling or prickling sensations	0	i	4	8
8. Dizziness	0	1	4	8
9. Mental fogginess, forgetful or distracted	0	1	4	8
10. Inability to concentrate	0	1	4	8
11. Depression, anxiety, nervousness and/or irritability	0	1	4	8
12. Difficulty sleeping	0	1	4	8
13. Conscious of new feelings of anger and frustration	0	1	4	8
14. Skin, hair, vagina and/or eyes feel dry	0	1	4	8
	-			~


Total points

(O)No

(8) Yes

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.





Staudenmaier Chiropractic Wellness Center, S.C. 30 N. 18th Ave-Suite 3 Sturgeon Bay, WI 54235 920-743-7255 www.BackToWellness.org